JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2004
Volume 94

SUBJECT INDEX

A

Advance directives
Informed consent and advance directives [Baruch], 2:198

Anatomy
Accessory soleus muscle [Kendi et al], 6:587
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Examining the validity of selected measures of foot type: a preliminary study [Mathieson et al], 3:275
Galen: author of the first flatfoot description [Xarchas and Tsolakidis], 5:508
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573
Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347
Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434

Anesthesia
Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368

Ankle
Accessory soleus muscle [Kendi et al], 6:587
Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535
Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53
Manipulation of the ankle as a method of treatment for ankle and foot pain [Dananberg], 4:395
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573

APMA Announcements and Reports
American Podiatric Medical Association, 84th Regular Sessions, House of Delegates, 4:413
American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211
American Podiatric Medical Association Missing Time Survey, 2004 [Fisher], 6:604
Council on Podiatric Medical Education, eighty-fourth annual report, 2003, 3:323

Arthritis
Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239
Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245

Arthrodesis
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Triple arthrodesis using external ring fixation and arched-wire compression: an evaluation of 87 patients [Talarico and Vito], 1:12; (letter) [Key], 4:412; (author's response) [Vito], 4:412

Asthma
Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease [De Palo], 2:157

B

Best Walking City Competition
American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211

Biomechanics
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535
Changes in plantar foot pressure with in-shoe varus or valgus wedging [Van Gheluwe and Dananberg], 1:1
Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31
Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53
Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542
The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246
Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461
Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255
Manipulation of the ankle as a method of treatment for ankle and foot pain [Dananberg], 4:395
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573
Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470
Sagittal plane compensations for artificially induced limitation of the first metatarsophalangeal joint: a preliminary study [Hall and Nester], 3:269
Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594

Birthmark
Vascular anomalies (birthmarks) of the foot and ankle [Konez], 5:477

Bone
Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502
Calcaneal osteochondroma [Akmaz et al], 4:409
Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382
Hallux proximal phalanx Akin-Scarf osteotomy [Roukis], 1:70
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Principles of diagnosing and managing postmenopausal osteoporosis for the podiatric physician [McGarry and Cyr], 2:187
Refraction effects of diffraction-enhanced radiographic imaging: a new look at bone [Muehleman et al], 5:453
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

Book reviews
Foot and Ankle (Thordarson, ed) [Roukis], 6:608
Fractures of the Foot and Ankle (Gumann, ed) [Miller], 6:608
McGlamry's Comprehensive Textbook of Foot and Ankle Surgery, 3rd Ed (Banks et al, eds) [Landsman], 2:216
Podiatry Sourcebook, 1st Ed (Weatherford, ed) [Miller], 5:515
Wound Care Practice (Sheffield et al, eds) [Mulder], 5:515

Brachymetatarsia
Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347

Burnout
Burnout and occupational stress: comparison between United Kingdom and Australian podiatrists [Mandy and Tinley], 3:282

C

Calcaneus
Calcaneal osteochondroma [Akmaz et al], 4:409
Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382

Cerebral palsy
Common neurologic disorders affecting the foot [Woods et al], 2:104

Claw toe
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246

Computer literacy
A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375

D

Debridement
Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter) [Board of Trustees, American Podiatric Medical Association], 1:73; (letter) [Turlik], 1:74; (letter) [Grapel], 1:75; (author's response) [Frank], 1:76; (letter) [Visintainer], 1:77; (editor's comment) [Joseph], 1:78
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Delirium
Changes in mental status [Curtin], 2:118

Diabetes mellitus
Management of hyperglycemia in the hospitalized podiatric medical patient [Hein], 2:135
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39
Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

E

Education
A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375

Electrostimulation
Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565

Employment
American Podiatric Medical Association Missing Time Survey, 2004 [Fisher], 6:604

Ethics
Informed consent and advance directives [Baruch], 2:198
Primer on medical professionalism [Diaz and Stamp], 2:206

F

Fever
Infection and fever in the elderly [Cristofaro], 2:126

Fibromyalagia
Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400

First ray
Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492

Flatfoot
Galen: author of the first flatfoot description [Xarchas and Tsolakidis], 5:508

Foot Posture Index
Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31

Footprints
Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429

Foot type
Examining the validity of selected measures of foot type: a preliminary study [Mathieson et al], 3:275

Footwear
Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53

Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461
A theory of shoe wear pattern influence incorporating a new paradigm for the podiatric medical profession [Vernon et al], 3:261

Fracture
Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382
Lateral subtalar joint dislocation: a case with calcaneal fracture [Randall and Ferretti], 1:65
Principles of diagnosing and managing postmenopausal osteoporosis for the podiatric physician [McGarry and Cyr], 2:187
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

Freiberg's infraction
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

G

Galen
Galen: author of the first flatfoot description [Xarchas and Tsolakidis], 5:508

Geriatric population
Changes in mental status [Curtin], 2:118
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Foot problems in older patients: a focused podogeriatric assessment study in ambulatory care [Helfand], 3:293
Geriatric pharmacology: safer prescribing for the elderly patient [Wright and Warpula], 2:90
Infection and fever in the elderly [Cristofaro], 2:126
Pharmacologic management of foot pain in the older patient [Martin], 2:98
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

Guidelines, authors'
Guidelines for authors, 1:79, 3:330, 5:510

H

Hallux
The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Hallux proximal phalanx Akin-Scarf osteotomy [Roukis], 1:70
Modified Z-osteotomy of the hallux [Shrum], 4:404
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43
Reconstruction of the great toe ski-slope, sunken-nail deformity with a buried adipofascial flap [Roukis and Landsman], 6:578
Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341
Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434

Heel
Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47
Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461
Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229

Human skin equivalent
Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61

Hyperglycemia
Management of hyperglycemia in the hospitalized podiatric medical patient [Hein], 2:135

I

Imaging
Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315
Refraction effects of diffraction-enhanced radiographic imaging: a new look at bone [Muehleman et al], 5:453
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

Infection
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Infection and fever in the elderly [Cristofaro], 2:126
Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356
Vancomycin: an overview for the podiatric physician [Smith], 4:389

Informed consent
Informed consent and advance directives [Baruch], 2:198

J

Joint
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535
Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53
Lateral subtalar joint dislocation: a case with calcaneal fracture [Randall and Ferretti], 1:65
Manipulation of the ankle as a method of treatment for ankle and foot pain [Dananberg], 4:395
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245
Sagittal plane compensations for artificially induced limitation of the first metatarsophalangeal joint: a preliminary study [Hall and Nester], 3:269
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Triple arthrodesis using external ring fixation and arched-wire compression: an evaluation of 87 patients [Talarico and Vito], 1:12; (letter) [Key], 4:412; (author's response) [Vito], 4:412

K

Kidney
Acute and chronic renal failure [Costa et al], 2:168

Knee
Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368

L

Laboratory medicine
Laboratory medicine and diagnostic testing [Kessimian], 2:194

Laser
Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61

Lidcombe template
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573

Liver
Evaluation of common liver problems [Adrain et al], 2:149

Lung
Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease [De Palo], 2:157

M

Macrodactyly
Early surgical repair of macrodactyly [Lagoutaris et al], 5:499

Maggot debridement therapy
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Manipulation
Manipulation of the ankle as a method of treatment for ankle and foot pain [Dananberg], 4:395

Medicare
Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter) [Board of Trustees, American Podiatric Medical Association], 1:73; (letter) [Turlik], 1:74; (letter) [Grapel], 1:75; (author's response) [Frank], 1:76; (letter) [Visintainer], 1:77; (editor's comment) [Joseph], 1:78

Mental status
Changes in mental status [Curtin], 2:118

Metatarsal
Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502
Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239
Sagittal plane compensations for artificially induced limitation of the first metatarsophalangeal joint: a preliminary study [Hall and Nester], 3:269
Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

Microscopy
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

N

Nail
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565
Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter) [Board of Trustees, American Podiatric Medical Association], 1:73; (letter) [Turlik], 1:74; (letter) [Grapel], 1:75; (author's response) [Frank], 1:76; (letter) [Visintainer], 1:77; (editor's comment) [Joseph], 1:78
Reconstruction of the great toe ski-slope, sunken-nail deformity with a buried adipofascial flap [Roukis and Landsman], 6:578
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

Nerve
Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368
Common neurologic disorders affecting the foot [Woods et al], 2:104
Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400
Neurothekeoma in the foot: a rare occurrence [Persich and Portela], 1:59

Neurology
Changes in mental status [Curtin], 2:118
Common neurologic disorders affecting the foot [Woods et al], 2:104

Neurothekeoma
Neurothekeoma in the foot: a rare occurrence [Persich and Portela], 1:59

O

Onychauxis
Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter) [Board of Trustees, American Podiatric Medical Association], 1:73; (letter) [Turlik], 1:74; (letter) [Grapel], 1:75; (author's response) [Frank], 1:76; (letter) [Visintainer], 1:77; (editor's comment) [Joseph], 1:78

Onychomycosis
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

Orthoses
Changes in plantar foot pressure with in-shoe varus or valgus wedging [Van Gheluwe and Dananberg], 1:1
Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542
The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246
Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229

A patient satisfaction survey on prescription custom-molded foot orthoses [Walter et al], 4:363
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239

Osteochondroma
Calcaneal osteochondroma [Akmaz et al], 4:409

Osteochondrosis
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

Osteomyelitis
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492

Osteoporosis
Principles of diagnosing and managing postmenopausal osteoporosis for the podiatric physician [McGarry and Cyr], 2:187

Osteotomy
Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502
Hallux proximal phalanx Akin-Scarf osteotomy [Roukis], 1:70
Modified Z-osteotomy of the hallux [Shrum], 4:404
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43

P

Pain
Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47
Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Manipulation of the ankle as a method of treatment for ankle and foot pain [Dananberg], 4:395
Pharmacologic management of foot pain in the older patient [Martin], 2:98

Pediatric population
Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573

Pharmacology
Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Geriatric pharmacology: safer prescribing for the elderly patient [Wright and Warpula], 2:90
Pharmacologic management of foot pain in the older patient [Martin], 2:98
Vancomycin: an overview for the podiatric physician [Smith], 4:389

Plantar fasciitis
Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542

Pneumonia
Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease [De Palo], 2:157

President's Message
Acceptance address: APMA: united in action, focused on its mission [Smith], 3:337
Beyond APMA [Ferritto], 2:217
Corporate support making a difference [Smith], 6:611
A part of the family [Ferritto], 1:84
Promises to keep, and miles to go before I sleep [Ferritto], 3:335
Public education and information: getting the job done [Smith], 5:517
Spirit and integration: APMA and PPAC [Smith], 4:428

Pressure, plantar
Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429
Changes in plantar foot pressure with in-shoe varus or valgus wedging [Van Gheluwe and Dananberg], 1:1
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246
Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461
Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255
The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239
Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39

Professionalism, medical
Primer on medical professionalism [Diaz and Stamp], 2:206

Psychology
Burnout and occupational stress: comparison between United Kingdom and Australian podiatrists [Mandy and Tinley], 3:282

Pulmonary disease
Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease [De Palo], 2:157

R

Renal failure
Acute and chronic renal failure [Costa et al], 2:168

Research
The need for randomized controlled trials in podiatric medical research [Porthouse and Torgerson], 3:221

Rheumatology
Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400
Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239
Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245

Running
Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53

S

Scabies
Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583

Scar
Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61

Sexual dimorphism
Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434

Silicone injections
The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550

Soleus muscle
Accessory soleus muscle [Kendi et al], 6:587

Spastic disorders
Common neurologic disorders affecting the foot [Woods et al], 2:104

Stress
Burnout and occupational stress: comparison between United Kingdom and Australian podiatrists [Mandy and Tinley], 3:282

Surgery
Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502
Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61
Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368
Early surgical repair of macrodactyly [Lagoutaris et al], 5:499
Hallux proximal phalanx Akin-Scarf osteotomy [Roukis], 1:70
The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550
Modified Z-osteotomy of the hallux [Shrum], 4:404
Perioperative medical assessment of the podiatric surgical patient [Crausman and Glod], 2:86
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43
Reconstruction of the great toe ski-slope, sunken-nail deformity with a buried adipofascial flap [Roukis and Landsman], 6:578
Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590
Triple arthrodesis using external ring fixation and arched-wire compression: an evaluation of 87 patients [Talarico and Vito], 1:12; (letter) [Key], 4:412; (author's response) [Vito], 4:412

Survey
American Podiatric Medical Association Missing Time Survey, 2004 [Fisher], 6:604
A patient satisfaction survey on prescription custom-molded foot orthoses [Walter et al], 4:363
Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483
A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375

Synovial fold
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519

T

Tarsal tunnel syndrome
Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400

Tendon
Plantaris tendon ruptures [Mozena and Pearson], 5:505
Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594

Testing, diagnostic
Laboratory medicine and diagnostic testing [Kessimian], 2:194

Thromboembolic disease
Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease [De Palo], 2:157

Tinel's sign
Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400

Tumor
Calcaneal osteochondroma [Akmaz et al], 4:409
Neurothekeoma in the foot: a rare occurrence [Persich and Portela], 1:59

U

Ulcer
The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

V

Vascular anomaly
Vascular anomalies (birthmarks) of the foot and ankle [Konez], 5:477

W

Walking
American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211

AUTHOR INDEX

A

Abouaesha, Frag: Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39

Adrain, Alyn L.: Evaluation of common liver problems [Adrain et al], 2:149

Akmaz, İbrahim:
Calcaneal osteochondroma [Akmaz et al], 4:409
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43

Aliyeva, Elmira: Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315

Armstrong, David G.:
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Arpacioğlu, M. Ömer: Calcaneal osteochondroma [Akmaz et al], 4:409

B

Balkin, S. W.: The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550

Baruch, Jay M.: Informed consent and advance directives, 2:198

Baur, Louise A.: Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429

Beach, Michael L.: Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535

Bell, Ronny A.: Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483

Binning, Jodi:
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239

Board of Trustees, American Podiatric Medical Association: Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter), 1:73

Boulton, Andrew J. M.:
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Bowen, Catherine Jane: Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255

Broch, Nana Lise: Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461

Brogan, Michael S.: Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565

Bryant, Alan R.: Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22

C

Callaghan, Des: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229

Carpenter, Brian: Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502

Cervone, Richard L.: Common neurologic disorders affecting the foot [Woods et al], 2:104

Claisse, Penny J.: Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246

Clark, Joel R.: A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375

Claxton, Matthew J.: Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Cole, Joan H.: Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22

Connolly, John E.: Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535

Copper, Alexander W.: Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31

Cornwall, Mark W.: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470

Costa, Jonathan: Acute and chronic renal failure [Costa et al], 2:168

Costa, Michelle: Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245

Crausman, Robert S.:
Acute and chronic renal failure [Costa et al], 2:168
Perioperative medical assessment of the podiatric surgical patient [Crausman and Glod], 2:86

Cristofaro, Patricia A.: Infection and fever in the elderly, 2:126

Curtin, Alicia J.: Changes in mental status, 2:118

Cyr, Michele G.: Principles of diagnosing and managing postmenopausal osteoporosis for the podiatric physician [McGarry and Cyr], 2:187

Cyr, Robert P.: Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341

D

Dabak, Kürşat: Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47

Dananberg, Howard J.:
Changes in plantar foot pressure with in-shoe varus or valgus wedging [Van Gheluwe and Dananberg], 1:1
Manipulation of the ankle as a method of treatment for ankle and foot pain, 4:395

Dellon, A. Lee: Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400

De Palo, Vera A.: Pulmonary disease: pneumonia, chronic obstructive pulmonary disease, asthma, and thromboembolic disease, 2:157
Desjardins, Paul J.: Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Diaz, Joseph A.: Primer on medical professionalism [Diaz and Stamp], 2:206
DiDomenico, Lawrence A.: Early surgical repair of macrodactyly [Lagoutaris et al], 5:499
Domínguez Maldonado, Gabriel: Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347
Donohue, Cornelius M.: Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368
Dowling, Annaliese M.: Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429
Ducic, Ivica: Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400
Dyal, Larry B., Jr.: Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368

E

Edsberg, Laura E.: Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565
Erakar, Aziz: Accessory soleus muscle [Kendi et al], 6:587
Evans, Angela M.: Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31

F

Falke, Gerald I.: Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400
Fernandez, Hubert H.: Common neurologic disorders affecting the foot [Woods et al], 2:104
Ferrari, Jill: Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434
Ferretti, Anthony Jon: Lateral subtalar joint dislocation: a case with calcaneal fracture [Randall and Ferretti], 1:65
Ferritto, J. D., Jr.:
Beyond APMA, 2:217
A part of the family, 1:84
Promises to keep, and miles to go before I sleep, 3:335
Fishco, William D.: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470
Fisher, Allan H., Jr.:
American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211
American Podiatric Medical Association Missing Time Survey, 2004, 6:604
Fletton, John Alan: The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Frank, Seymour C.: Onychauxic dystrophic toenails requiring debridement in Medicare patients (author's response), 1:76

G

George, Joe: Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Glod, Douglas J.: Perioperative medical assessment of the podiatric surgical patient [Crausman and Glod], 2:86
Goss, Larry R.:
Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368
Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382
Grabowski, Greg: Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583
Grabowski, Richard: Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583
Grapel, Daniel: Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter), 1:75
Gray, Joanne: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229

H

Haber, Lawrence L.: Early surgical repair of macrodactyly [Lagoutaris et al], 5:499
Hall, Christine: Sagittal plane compensations for artificially induced limitation of the first metatarsophalangeal joint: a preliminary study [Hall and Nester], 3:269
Hannant, Stephen Charles: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Hein, Michael David: Management of hyperglycemia in the hospitalized podiatric medical patient, 2:135
Helfand, Arthur E.: Foot problems in older patients: a focused podogeriatric assessment study in ambulatory care, 3:293
Herbert, Robert D.: Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542
Hewson, Robert A.: Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565
Holewinski, Jean: Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583
Hopkinson, David A.: Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434
Hubbard, Richard C.: Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Hubble, Joanne: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Hunt, Lea: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470

I

Iasiello, Hala: Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31

J

Jackson, Lorraine: Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239

Jackson, Sharon A.: Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483

Jay, Richard M.: Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594

Johnson, Robert H.: Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565

Joseph, Warren S.:
Guidelines for authors, 1:79, 3:330; 5:510
Onychauxic dystrophic toenails requiring debridement in Medicare patients (editor's comment), 1:78

K

Kalinowski, Douglas P.: Low-voltage direct current as a fungicidal agent for treating onychomycosis [Kalinowski et al], 6:565

Kanhai, Alicia: Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583

Kaplan, Haluk:
Calcaneal osteochondroma [Akmaz et al], 4:409
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43

Kaplan, Leo: The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550

Keenan, Anne-Maree: Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542

Kendi, Tuba Karagülle: Accessory soleus muscle [Kendi et al], 6:587

Kessimian, Noubar: Laboratory medicine and diagnostic testing, 2:194

Key, Jonathan J.: Triple arthrodesis using external ring fixation and arched-wire compression (letter), 4:412

Kimbriel, Heather R.:
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353

Kiral, Ahmet:
Calcaneal osteochondroma [Akmaz et al], 4:409
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43

Konez, Orhan: Vascular anomalies (birthmarks) of the foot and ankle, 5:477

Kuettner, Klaus E.: Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315

Kunze, Kristin: Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456

Kurz, Max J.: Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53

L

Lafuente Sotillos, Guillermo: Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347

Lagoutaris, Emmanuel D.: Early surgical repair of macrodactyly [Lagoutaris et al], 5:499

Landorf, Karl B.: Effectiveness of different types of foot orthoses for the treatment of plantar fasciitis [Landorf et al], 6:542

Landsman, Adam S.:
Reconstruction of the great toe ski-slope, sunken-nail deformity with a buried adipofascial flap [Roukis and Landsman], 6:578
Review of *McGlamry's Comprehensive Textbook of Foot and Ankle Surgery*, 3rd Ed (Banks et al, eds), 2:216
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492

Lane, Camilla Rae: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470

Langefeld, Carl D.: Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483

Lee, Daniel K.: Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61

Li, Jun: Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315

Lidtke, Roy H.:
Anatomy, biomechanics, and surgical approach to synovial folds within the joints of the foot [Lidtke and George], 6:519
Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315

Linney, Alf D.: Size and shape differences between male and female foot bones: is the female foot predisposed to hallux abducto valgus deformity? [Ferrari et al], 5:434

M

Maloney, Christopher T., Jr.: Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400

Mandy, Anne: Burnout and occupational stress: comparison between United Kingdom and Australian podiatrists [Mandy and Tinley], 3:282

Martin, Billy R.: Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456

Martin, Edward W.: Pharmacologic management of foot pain in the older patient, 2:98

Martínez Camuña, Luis: Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347

Mathieson, Ian: Examining the validity of selected measures of foot type: a preliminary study [Mathieson et al], 3:275

McGarry, Kelly A.: Principles of diagnosing and managing postmenopausal osteoporosis for the podiatric physician [McGarry and Cyr], 2:187

McPoil, Thomas G.: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470

Metz, Samuel: Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368

Miller, Stephen J.:
Review of *Fractures of the Foot and Ankle* (Gumann, ed), 6:608
Review of *Podiatry Sourcebook*, 1st Ed (Weatherford, ed), 5:515

Morewitz, Stephen J.: A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375

Motley, Travis: Adding stability to the crescentic basilar first metatarsal osteotomy [Carpenter and Motley], 5:502

Mozena, John: Plantaris tendon ruptures [Mozena and Pearson], 5:505
Muehleman, Carol:
Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315
Refraction effects of diffraction-enhanced radiographic imaging: a new look at bone [Muehleman et al], 5:453
Mulder, Gerit: Review of *Wound Care Practice* (Sheffield et al, eds), 5:515
Mullins, Samantha: A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375
Munuera Martínez, Pedro V.: Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347

N

Nelson, Scott: The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550
Nester, Christopher J.: Sagittal plane compensations for artificially induced limitation of the first metatarsophalangeal joint: a preliminary study [Hall and Nester], 3:269
Ng, Gregory: A patient satisfaction survey on prescription custom-molded foot orthoses [Walter et al], 4:363
Nixon, Brent P.:
Plantar pressure changes using a novel negative pressure wound therapy technique [Armstrong et al], 5:456
Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590
Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353
Noiwangmuang, Wanlop: Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341

O

O'Donnell, Deborah: Reliability and validity of clinically assessing first-ray mobility of the foot [Cornwall et al], 5:470
Oktay, Olcay: Accessory soleus muscle [Kendi et al], 6:587
Otter, Simon J.: Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255
Özdemır, Hakan: Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47
Özgörgen, Mete: Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47

P

Parry, Anne: A theory of shoe wear pattern influence incorporating a new paradigm for the podiatric medical profession [Vernon et al], 3:261
Pearson, Drew D.: Plantaris tendon ruptures [Mozena and Pearson], 5:505
Pehlivan, Özcan:
Calcaneal osteochondroma [Akmaz et al], 4:409
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43
Persich, Gianni: Neurothekeoma in the foot: a rare occurrence [Persich and Portela], 1:59
Peterfy, Charles: Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315
Portela, Margaret: Neurothekeoma in the foot: a rare occurrence [Persich and Portela], 1:59
Porthouse, Jill: The need for randomized controlled trials in podiatric medical research [Porthouse and Torgerson], 3:221
Potter, Julia:
Effect of orthotic therapy on claw toe loading: results of significance testing at pressure sensor units [Claisse et al], 3:246
Plantar pressures in rheumatoid arthritis using prefabricated metatarsal padding [Jackson et al], 3:239
Potter, Michael: A theory of shoe wear pattern influence incorporating a new paradigm for the podiatric medical profession [Vernon et al], 3:261
Prior, Trevor D.: Examining the validity of selected measures of foot type: a preliminary study [Mathieson et al], 3:275

Q

Quint, Richard E.: Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590

R

Ramberan, Hemchand: Evaluation of common liver problems [Adrain et al], 2:149
Randall, David B.: Lateral subtalar joint dislocation: a case with calcaneal fracture [Randall and Ferretti], 1:65
Redmond, Anthony: Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31
Rizack, Tina: Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245
Rockett, Matthew S.: Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382
Rodop, Osman: Calcaneal osteochondroma [Akmaz et al], 4:409
Rome, Keith: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Rosales, Anthony: Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353
Roukis, Thomas S.:
Hallux proximal phalanx Akin-Scarf osteotomy, 1:70
Reconstruction of the great toe ski-slope, sunken-nail deformity with a buried adipofascial flap [Roukis and Landsman], 6:578
Review of *Foot and Ankle* (Thordarson, ed), 6:608
Salvage of the first ray in a diabetic patient with osteomyelitis [Roukis and Landsman], 5:492

S

Saglık, Yener: Accessory soleus muscle [Kendi et al], 6:587
Salcini Macías, José Luis: Morphofunctional study of brachymetatarsia of the fourth metatarsal [Munuera Martínez et al], 4:347
Scharfbillig, Rolf:
Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573
Scherer, Julia E.: American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211
Scherer, Michael David:
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356

Scherer, William P.:
A comparison of results from two mycology laboratories for the diagnosis of onychomycosis: a study of 85 cases in a geriatric population [Scherer and Scherer], 6:528
Scanning electron microscope imaging of onychomycosis [Scherer and Scherer], 4:356
Schoenhaus, Harold: Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594
Schoenhaus, Jodi: Transfer of the peroneus brevis tendon after resection of the fifth metatarsal base [Schoenhaus et al], 6:594
Scutter, Sheila D.:
Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31
Measurement of foot dorsiflexion: a modified Lidcombe template [Scharfbillig and Scutter], 6:573
Selner, Allen J.: Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341
Selner, Marc D.: Revisional hallux abducto valgus surgery using tricorrectional bunionectomy [Selner et al], 4:341
Serkin, Arnold L.: Carbon dioxide laser and Apligraf for a painful plantar hypertrophic scar [Lee and Serkin], 1:61
Shaw, Graham P.: A survey of podiatric medical students' computer literacy [Morewitz et al], 4:375
Shih, Alan T.: Treatment of Freiberg's infraction with the titanium hemi-implant [Shih et al], 6:590
Shookster, Linda: Fibromyalgia and Tinel's sign in the foot [Shookster et al], 4:400
Short, Brian: Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353
Shrum, Dale G.: Modified Z-osteotomy of the hallux, 4:404
Smith, Catherine: The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Smith, Lloyd S.:
Acceptance address: APMA: united in action, focused on its mission, 3:337
Corporate support making a difference, 6:611
Public education and information: getting the job done, 5:517
Spirit and integration: APMA and PPAC, 4:428
Smith, Robert G.: Vancomycin: an overview for the podiatric physician, 4:389
Solakoglu, Can:
Calcaneal osteochondroma [Akmaz et al], 4:409
Proximal oblique crescentic osteotomy in hallux valgus [Pehlivan et al], 1:43
Söyüncü, Yetkın: Effects of changes in heel fat pad thickness and elasticity on heel pain [Özdemır et al], 1:47
Spooner, Simon K.: The effect of 5-degree valgus and varus rearfoot wedging on peak hallux dorsiflexion during gait [Smith et al], 6:558
Stamp, Michael J.: Primer on medical professionalism [Diaz and Stamp], 2:206
Steele, Julie R.: Can static plantar pressures of prepubertal children be predicted by inked footprints? [Dowling et al], 5:429
Steen, Harald: Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461
Stergiou, Nicholas: Does footwear affect ankle coordination strategies? [Kurz and Stergiou], 1:53
Stewart, Fiona: Evaluating the clinical effectiveness and cost-effectiveness of foot orthoses in the treatment of plantar heel pain: a feasibility study [Rome et al], 3:229
Stoltz, Jennifer J.: A patient satisfaction survey on prescription custom-molded foot orthoses [Walter et al], 4:363
Sumner, Dale R.: Refraction effects of diffraction-enhanced radiographic imaging: a new look at bone [Muehleman et al], 5:453

T

Talarico, Leonard M.: Triple arthrodesis using external ring fixation and arched-wire compression: an evaluation of 87 patients [Talarico and Vito], 1:12
Tinley, Paul:
Burnout and occupational stress: comparison between United Kingdom and Australian podiatrists [Mandy and Tinley], 3:282
Plantar pressure and joint motion after the Youngswick procedure for hallux limitus [Bryant et al], 1:22
Torgerson, David J.: The need for randomized controlled trials in podiatric medical research [Porthouse and Torgerson], 3:221
Traylor, Louise: Analgesic efficacy of preoperative parecoxib sodium in an orthopedic pain model [Desjardins et al], 3:305
Tsolakidis, George F.: Galen: author of the first flatfoot description [Xarchas and Tsolakidis], 5:508
Turlik, Michael A.: Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter), 1:74
Tzamaras, George Paul: American Podiatric Medical Association Best Walking City Competition, 2003 [Fisher et al], 2:211

U

Upton, Dominic: Examining the validity of selected measures of foot type: a preliminary study [Mathieson et al], 3:275

V

Van Gheluwe, Bart: Changes in plantar foot pressure with in-shoe varus or valgus wedging [Van Gheluwe and Dananberg], 1:1
van Schie, Carine H. M.: Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot [Abouaesha et al], 1:39
Vazquez, Jefferey R.: Use of a maggot motility index to evaluate survival of therapeutic larvae [Rosales et al], 4:353
Vernon, Wesley: A theory of shoe wear pattern influence incorporating a new paradigm for the podiatric medical profession [Vernon et al], 3:261
Visintainer, Paul: Onychauxic dystrophic toenails requiring debridement in Medicare patients (letter), 1:77
Vito, George R.: Triple arthrodesis using external ring fixation and arched-wire compression: an evaluation of 87 patients [Talarico and Vito], 1:12; (author's response), 4:412

W

Wallace, William Dean: The histologic host response to liquid silicone injections for prevention of pressure-related ulcers of the foot: a 38-year study [Wallace et al], 6:550
Walter, John H., Jr.:
Complications of intra-articular fractures of the calcaneus [Walter et al], 4:382
A patient satisfaction survey on prescription custom-molded foot orthoses [Walter et al], 4:363

Warpula, Rick W.: Geriatric pharmacology: safer prescribing for the elderly patient [Wright and Warpula], 2:90
Weaver, Gayle J.: Evaluation of common liver problems [Adrain et al], 2:149
Weinberg, Marc S.: Acute and chronic renal failure [Costa et al], 2:168
Weingarten, Michael S.: Combined popliteal and saphenous nerve blocks at the knee: an underused alternative to general or spinal anesthesia for foot and ankle surgery [Donohue et al], 4:368
White, John C.: Preventive foot-care practices among adults with diabetes in North Carolina, 1997 to 2001 [White et al], 5:483
Williams, Marie: Criterion validation of four criteria of the Foot Posture Index [Scharfbillig et al], 1:31
Williams, Marie L.: Norwegian scabies in the immunocompromised patient [Grabowski et al], 6:583
Woods, Rochelle J.: Common neurologic disorders affecting the foot [Woods et al], 2:104
Wright, Rollin M.: Geriatric pharmacology: safer prescribing for the elderly patient [Wright and Warpula], 2:90
Wrobel, James S.: Associations between static and functional measures of joint function in the foot and ankle [Wrobel et al], 6:535
Wyller, Thomas: Effects of heel height and shoe shape on the compressive load between foot and base: a graphic analysis of principle [Broch et al], 5:461

X

Xarchas, Konstantin C.: Galen: author of the first flatfoot description [Xarchas and Tsolakidis], 5:508

Y

Yıldız, H. Yusuf: Accessory soleus muscle [Kendi et al], 6:587
Young, Adam K.: Forefoot plantar pressures in rheumatoid arthritis [Otter et al], 3:255

Z

Zhong, Zhong:
Radiography of soft tissue of the foot and ankle with diffraction enhanced imaging [Li et al], 3:315
Refraction effects of diffraction-enhanced radiographic imaging: a new look at bone [Muehleman et al], 5:453
Zimmermann, Bernard: Rheumatologic conditions of the foot [Costa et al], 2:177; (erratum), 3:245